REFERENCES

- A. M. Saleem, V. Gopal, M. R. M. Rafiullah, and P. Bharathidasan (2006), Chemical and Pharmacological evaluation of Karpura Shilajit Bhasma, an ayurvedic diuretic formulation, African Journal of Traditional, Complementary and Alternative Medicines, 3(2):27-36.
- Alwakeel S. S. (2008). Microbial and Heavy metals contamination of Herbal Medicines, Research Journal of Microbiology, 3(12): 683-691.
- Ambreen Huma, Ghazala H. Rizwani, Muhammed Usman and Maryam Ahmed (2013), Pharmacognostic evaluation of Herbo-mineral formulation (ALG-06) used in Vitiligo, International Journal of Pharmacy and Pharmaceutical Sciences, 5(1): 91-95.
- Ayaz S., Abdul Hannan, Khan Usmanghani, Halima Nazar and et al (2011), ScaNeem: Herbo-mineral therapy for scabies, J. of Medicinal Plants Research, 5 (24): 5706-5712.
- BadariNath A. V., MadhusudhanaChetty C.(2011), "in-vivo chemo preventive study of designed Herbo-mineral Tablet in Tobacco Smoke induced Lung cancer Animal Model", International Journal of Pharma Tech Research, 3(1): 13-17
- Bafna P. A. and Balaraman R (2004), Anti-ulcer and antioxidant activity of Normacid, a herbo-mineral formulation, Indian Journal of Experimental Biology, 42(7):674-680
- Bafna P. A. and Balaraman R (2005), Anti-ulcer and anti-oxidant activity of pepticare, a herbo mineral formulation, Phytomedicine: International Journal of Phytotherapy and Pytopharmacology, 12(4):264-270
- Bafna P. A. and Balaraman R (2006), Antioxidant activity of Pepticare, a herbo mineral formulation, in experimentally induced renal and cardiac damage, J. Herb Pharmacother, 6(1):1-12
- Bansal A., Sairam M., Prasad D. et al (2001), Cytoprotective andimmunomodulatory properties of Geriforte, a herbo-mineral preparation in lymphocytes, Phytomedicine, 8(6) : 438-444
- Bhushan P., Ashok D. B. and Mukund C. (2004), Ayurveda and natural products during discovery, Current science, 86(6): 799-805.
- Borkowski B. (1994). Contamination of plants by heavy metals, Farm Pol. 50(15): 697-710.

- Chan K. (2003). Some aspects of toxic contaminants in herbal medicines, chemosphere, 52: 1361-1371
- Chopra A., Lavin P., Patwardhan B., Chitre D. (2004), A 32 Week Randomized, Placebo – Controlled Clinical Evaluation of RA-11, an Ayurvedic Drug, on osteoarthritis of the knees, Journal of Clinical Rheumatology, 10(5): 236-2450.
- Das Subroto Kumar, Yadav Kapil Deo, Dubey S. D. and Reddy K. R. C (2012), Anti-microbial study of Shwasakuthar Rasa: in vitro study, International journal of Ayurvedic Medicine, 3(2), 76-81.
- Dr. Ansari S. H. (2011), Essentials of Pharmacognosy, Birla publications Pvt. Ltd. 470-478
- Dr. Shri Kant M. S., Dr. M. Sahu, and Dr. Sanjeev Sharma (2002), Effect of Diabecon (D-400), an Ayurvedic Herbo mineral formulation on Diabetic Retinopathy, Indian Journal of Clinical Practice, 12(9): 49-56
- Ernst E. (2001). Heavy metals in traditional Indian remedies, Eur. J. Clin. Pharmacol., 57 (12): 891-896.
- IIa Tanna, S. M. S. Samarakoon, H. M. Chandola and V. J. Shukala (2011), Physico-chemical analysis of a herbo-mineral compound Mehamudgara Vati – A pilot study, AYU, 32(4): 572-575.
- J. Savarimuthu Michael, A. J. A. Ranjit Singh and C. Padmalatha (2011), Antibacterial potential of some herbo-mineral siddha preparation: an alternative medicine for enteric pathogens, J. Chem. Pharm. Res., 3(3):572-578.
- Jayawardhane N. D. N. et al. (2012), An effective Heavy metal treatment as an adjuvant therapy for the improvement of quality of life of hepatocellular carcinoma patient – A case study. IRJP, 3(7): 266-270.
- Joshi Uttara and Mhasakar Vandana (2012), Standardization and evaluation of safety of a herbo mineral formulation Articulin® forte tablet, Research in Pharmacy, 2(1): 14-17
- Kokate C. K., Purohit A. P., Gokhale S. B. (2009), Pharmacognosy, Niraliprakashan, 43rd edition, 1.5
- Kruti Pandya, Maniar Kunal, Soni Hardik, Bhatt Surendra, Patel Prashant and et al (2011), Standardization of Anti-diabetic Ayurvedic herbo-mineral formulation, International Journal of Pharmaceutical Sciences Review and Research, 10(1): 30-35

- Kumar R., Saxena V., Shamsi M. B., Venkatesh S., and Dada R. (2011), Herbo-mineral supplementation in men with idiopathic oligoasthenoteratospermia: A double blind randomized placebo-controlled trial, Ind. J. of Urology, 27 (3): 357-362.
- Lone A. H., Ahmad T., Mohmmad A., Ahmad J. (2011), Therapeutic evaluation of a Unani herbo mineral formulation in chronic Urticaria, J. of Pak. Association of Dermatologists, 21: 33-37.
- Maji D., Singh A. K. (1995), Clinical trial of D-400 – A herbo-mineral preparation in diabetes mellitus, Jour. Diab. Assc. India, 35(1): 1-4
- Nandha R., Singh H., Moudgill P., and Kular G(2011), A pilot study to clinically evaluate the role of herbo-mineral compound "RakatchapHar" in the management of hypertension, AYU, 32(3): 329-323
- Neelesh Khandelwal (2011), Prevention and management of Diabetes Mellitus in Ayurveda, Asian Journal of Biomedical and Pharmaceutical sciences 1(6): 01-06
- Pal K. N. C. (2003), Effect of a herbo-mineral compound on diabetes, Antiseptic, 100(4): 147-147
- Pallavi A., Bafna and R. Balaram (2011), Effect of Activit, a herbo-mineral formulation, on experimentally induced gastric lesions in rats, Journal of applied Pharmaceutical Science, 01(10):134-139
- Parmar S., Shah K., Shah N. (2011), Heavy metal and microbial analysis of Zymodye Syrup – a Polyherbal formulations. AJPSR, 1: 46-53
- Patra K. C., Pareta S. K., Harwansh R. K., Jayaram K. K. (2010), Traditional approaches towards standardization of herbal medicines -A review. J. Pharm. Sci. Technol. 2 (11): 372- 379.
- Pattonder R. K., Vyas S. N., Chandola H. M., Harisha C. R. and Shukla V. J. (2010), Standardization andQuality control of herbo-mineral durgAgnimanthaBhavitaShilajatu and TrivritYukta Navaka Guggulu., 2(13): 1-4.
- Pawar R. K., Sharma Shivani, Sigh K. C. and Sharma R. K. R. (2011), Physico-chemical Standardization and Development of HPTLC method for the determination of Plumbagin in KalmeghNavayasaLoha – An Ayurvedic Formulation., 3(1): 43-48.
- Payyappallimana U. (2010), Role of Traditional Medicines in Primary health Care: An overview of perspectives and challenges, Yokohama Journal of Social Sciences, 14(6) 723-743.

- Prakash B. R. (2002), Study of Non-ulcer Dyspepsia and Possible Treatment with a herbo mineral formulation: an open clinical trial, Indian Journal of Clinical Practice, 12(8): 49-54
- Prakash V. B., Mukherjee A. (2010), Hepato-protective effect of an Ayurvedic formulation Park-20 in CCl4 induced toxicity in rats: results of three studies, Int. J. of Pharma. and clinical research, 2 (1): 23-27.
- Prasanna K. T., Vijaykumar G. S., and Shwetha Singh (2010), Invitro antibacterial activity of tamra bhasma, International journal of Ayurvedic Medicine, 1(1), 23-30
- Prasanna Kumar et al (2003), Clinical trial of glycem – a herbo mineral preparation in type 2 diabetic Indian patients, Antiseptic, 100(4): 144-146
- Ragamala K. C., Kumar T. P. and Shailaja U. (2010), Dhatri Loha in the management of Iron deficiency anemia, International Journal of Ayurvedic Medicine, 1(1): 74-80
- Raj S., Karthikeyan S., Gothandam K. M. (2011). Ayurveda – A glance, Research in Plant Biology, 1(1): 1-14.
- Rajendraprasad M. L., Shruti Shekhar and Subrahmanya A. R. (2010), Pharmaceutical and Analytical study on Loha bhasma, International journal of Ayurvedic Medicine, 1(1):47-59
- Rangari V. D. (2008), Pharmacognosy and Phytochemistry, Career Publication, 1: 6-11.
- Rathinamala R., Omprakash K. K. and Rajasekaran R. (2010), Evaluation of Antiulcer activity of Maankombu Parpam (Sirungi Bhasma), International journal of Ayurvedic Medicine, 2(1), 37-40
- Senthil Kumar C., Sivasakthi R., Moorthi C., Anudeepa J., Ramya R, and et al (2012), Physio-chemical evaluation and toxicological studies of herbo-mineral preparation (Rasachendooram), International journal of Pharmaceutical and Chemical Sciences, 1(1): 455 -460
- Shagufta Parveen, Zafar Sharique, Qureshi Masroor Ali, and Bano Humaira (2009), Clinical trial of Unani herbo mineral cream to evaluate its topical effects on Acne Vulgaris, Indian Journal of Traditional knowledge, 8(3): 431-436
- Sheikh S., Ashok S., Rajesh T. Shalini T and et al (2012), Toxicity of a novel herbo-mineral preparation Las01 on human cancer cell lines and its safety profile in humans and animals, Evidence-based Complementary and Alternative medicines, 1155: 1-9

- Shukla K., Jain V. (2006). Heavy Metals in Ayurvedic formulation – Safety issues, The Pharmaceutical magazines, Institute of Pharmacy Pt. Ravishankar Shukla University, Raipur.
- Srinivasulu Bandari, Bhadra Dev P., Murthy P. H and et al (2011), HPTLC fingerprinting in the standardization of Panchavaktra Ras: A herbo-mineral preparation, International journal of Ayurvedic Medicine, 2(4), 192-198
- Srinivasulu Bandari Bhadra Dev P., Murthy P. H and et al (2012), Clinical evaluation of Panchavaktra Ras in the management of Amavata (Rheumatoid Arthritis), International journal of Ayurvedic Medicine, 3(1), 22-39
- Subhash Chandra Bhargava, K. R. C. Reddy (2011), Pharmaceutical study of Kanta Lauha and Teekshna lauha Bhasma, International journal of Ayurvedic Medicine, 2(4), 199-213
- Suresh Janadri, Brajbhan Singh, Ranveer Kumar and M. D. Kharya (2011), Effect of nanosizing on bio-efficacy of Shwaskuthar Rasa – a herbo-mineral formulation for Asthma and Allergy, J. Pharm. Sci. & Res. 3(10): 1539-1543
- Sushil S. Pimpare, Yogesh T. Sonawane, Chetan A. and et al (2012), Wound healing activity of topical application form based on herbo mineral formulation, Asian Journal of Plant Science and Research, 2(3): 355-363
- The Ayurvedic Pharmacopoeia of India, Part I, First end, Ministry of Health and Family Welfare, Govt. of India, 2000, 7:17
- The Truth behind herbal drugs, Available online on http://www.expresspharmaonline.com/20060331/research02.shtml dated 3rd of March 2012.
- Vaidya A. D. B., Devasagayam T. P. A. (2007), Current status of herbal drugs in India: An overview. J. Clin. Biochem, 41(1):1–11.
- Vaze A., Double blind comparative trial of herbo-mineral antioxidant formulation with Ubiquinone (coenzyme Q 10) in oligoasthenospermia, available online at – www. Biogetica.com/clinical_research/addyzoa.pdf dated on 7th July, 2012.
- Venkateshwarlu G. et al (2010), Management of Rheumatoid arthritis (Amavata) with herbo-mineral formulation -A clinical study, 1(3): 156-167
- Verma P. R. P., Prasad (1995), Standardization and bioavailability of Ayurvedic drug lauha bhasma part-1 physical and chemical evaluation,AncSci Life. 15(2), 1995: 129-136.